Time Stamp	2007/04/29 17:17	2007/04/29 17:18	2007/04/29 17:18	2007/04/29 17:18	2007/04/29 17:18	2007/04/29 17:18
Plurals	NO	NO	NO .	NO	NO	NO
Default Operator	OR	OR	OR	OR	OR	S S
DBs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB					
Hits Search Query	24947736 (@rlad<"20030902" or @ad<"20030902")	5821 709/223.ccls.	6122 709/224.ccls.	2790 709/225.ccls.	7004 707/10.ccls.	1171 707/8.ccls.
Ref #	S1	23	S	\$5	SS	. Se

20102 S2 or S3 or S4 or S5 or S6		S5 or S6	US-PGPUB; USPAT; FPO: JPO:	OR.	NO	2007/04/29 17:19
			DERWENT; IBM_TDB			
16876 S1 and S7			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/01 10:11
0 (network adj2 remote adj2 manage\$4) near3 ((multiple or few or many) near3 ((system adj admin\$9) or admin\$9))		ear3 ((multiple or few or many) ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	0	2007/05/01 17:27
0 (network adj2 remote adj2 manage\$4) near6 ((multiple or few or many) near6 ((system adj admin\$9) or admin\$9))		ar6 ((multiple or few or many)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/04/29 17:23
0 (network adj2 remote adj2 manage\$4) near6 ((multiple or few or many or group) near6 ((system adj admin\$9) or admin\$9))		ar6 ((multiple or few or many or min\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/04/29 17:23
44270 (system adj2 admin\$9)			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/04/29 17:24
2927 S8 and S12	S8 and S12		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/04/29 17:24

S14	192745	(remote adj2 config\$8) or (system adj2 config\$8)	US-PGPUB;	OR	NO	2007/04/29 17:26
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S15	1213	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/04/29 17:26
S16	15	(table adj data adj module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/04/29 17:27
S17	0	S15 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/04/29 17:27
518	21	S15 and (file adj lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/04/29 17:32
S19	78	S15 and (one adj system adj admin\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/04/29 17:37
.820	92	S8 and (multiple adj ((system adj admin\$9) or admin\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	NO	2007/04/29 17:38

521	0	S8 and ((concurrent near3 administrators) same ((single or one) adj	US-PGPUB;	OR.	NO	2007/04/29 17:52
		administrator))	USPAI; EPO; JPO; DERWENT; IBM_TDB		•	
522	∞	S8 and (((concurrent or multiple) near3 administrators) same ((single or one) adj administrator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/04/29 18:03
S23	15	S8 and (((concurrent or multiple) near3 administrators) same (conflict\$2 or error\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/04/29 18:07
S24	58	S8 and (((concurrent or multiple or group) near3 administrators) same (conflict\$2 or error\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/04/29 18:11
S25	131	S8 and (((concurrent or multiple or group) near3 (database administrator\$2)) same (conflict\$2 or error\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/04/29 18:12
	0	S8 and (((concurrent or multiple or group) near3 (database adj administrator\$2)) same (conflict\$2 or error\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/04/29 18:13
S27	<del></del> 1	S8 and (((concurrent or multiple or group) near5 (database adj administrator\$2)) same (conflict\$2 or error\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/29 18:13

828	0	S8 and (((concurrent or multiple or group) near5 (database adj administrator\$2)) near5 (conflict\$2 or error\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	NO	2007/04/29 18:13
825	on	S8 and (((database adj administrator\$2)) near5 (conflict\$2 or error\$2))	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	NO	2007/04/29 18:17
230	0	S8 and (((multiple or group or concurrent) adj user\$2) near3 (database near2 error\$2))	IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	NO	2007/04/29 18:20
S31	H	S8 and (((multiple or group or concurrent) adj user\$2) near3 (database near4 (error\$2 or conflict\$4)))	IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	N O	2007/04/29 18:22
S32	0	S8 and (((multiple or group or concurrent) adj user\$2) near3 (database near4 lock))		NO.	NO	2007/04/29 18:22
S33		S8 and (((multiple or group or concurrent) adj2 user\$2) near3 (database near4 lock))		OR	NO	2007/04/29 18:22
534	4	S8 and (database adj3 user adj3 lock)	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/04/29 18:47

2007/04/29 18:49	2007/04/29 18:49	2007/05/01 10:10	2007/05/01 10:10	2007/05/01 10:12	2007/05/01 10:12	2007/05/01 10:12
NO	NO	NO	NO	NO	NO	NO
NO NO	OR	OR	OR	OR	OR	OR
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S8 and (administrator near3 (read adj lock))	S8 and (administrator near3 (write adj lock))	(US-20040177143-\$ or US-20030028624-\$ or US-20020016840-\$ or US-20030028594-\$ or US-20020083056-\$).did. or (US-5729472-\$ or US-7082464-\$ or US-7003563-\$ or US-6578146-\$ or US-6161139-\$ or US-6061692-\$ or US-5581764-\$ or US-7047234-\$ or US-6922722-\$ or US-5774669-\$ or US-6950818-\$ or US-6823337-\$ or US-5333316-\$).did.	S37 and ("table data module")	(@rlad<"20030902" or @ad<"20030902")	709/223.ccls.	709/224.ccls.
0		19	0	24949306	5835	6130
S35	236	537	238	539	S40	S41

2007/05/01 10:12	2007/05/01 10:12	2007/05/01 10:12	2007/05/01 10:12	2007/05/01 10:12	2007/05/01 10:50	2007/05/01 10:15
NO .	NO	NO	NO	NO	NO NO	NO
A S	OR .	OR	OR	OR	OR	OR
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	USPAT; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR
709/225.cdls.	707/10.ccls.	707/8.ccls.	S40 or S41 or S42 or S43 or S44	5 S39 and S45	S46 and ("one writer" same ((several or multiple or many or few) adj readers))	("5544345"   "5561794"   "5737536"   "5822588"   "5890161"   "6023706"). PN. OR ("6823337").URPN.
2794	7019	1175	20136	16906	0	9
S42	S43	S44	S45	S46	247	248

S50 0 S46 and ("current access status property") S51 0 S46 and ("access-permit message") S52 0 S46 and ("access permit message") S53 204 S46 and ("access message") S54 79 S46 and (((several or multiple or many or large service) S55 8 ("3967248"   "4130867"   "4770187"   "43		11S-PGP(18:	~ ~	Z	2007/05/01 10:41
· · · · · · · · · · · · · · · · · · ·		IISPAT.	<u>,</u>	:	110110/20/201
· · · · · · · · · · · · · · · · · · ·		EPO; JPO;	121		
0, 0, 0,	OI BI	DERWENT;			
· · · · · · · · · · · · · · · · · · ·		2			
0, 0,		US-PGPUB; USPAT;	OR S	N O	2007/05/01 10:42
· · · · · · · · · · · · · · · · · · ·	130 70	EPO; JPO; DERWENT;	•		
0 0	IB	IBM_TDB	4		
20 . 204	50 5	US-PGPUB;	8	N O	2007/05/01 10:42
20 . 204 8	· · · · · · · · · · · · · · · · · · ·	EPO; JPO;		-	
20 . 0	DI IB	DERWENT; IBM_TDB			
. 204	ň	US-PGPUB;	OR	NO	2007/05/01 10:43
204		USPALÍ, EPO; JPO; DERWENT;		,	
79 8	IB IB	IBM_TDB			
62 &	, , , , , , , , , , , , , , , , , , ,	US-PGPUB; USPAT;	OR	N O	2007/05/01 10:43
62 &		DERWENT; IBM_TDB			
σ.	many or few) adj readers)) US	US-PGPUB;	S.	N O	2007/05/01 10:46
80		EPO; JPO; DERWENT;			
8		IBM_TDB			
,	".3967248"   "4130867"   "4270182"   "4316245"   "4399504"   "4476528"   U3 '4480304"   "4497039").PN.	US-PGPUB; USPAT;	OR	NO	2007/05/01 10:48

S56	9	S46 and ("one writer" near4 ((several or multiple or many or few) adj	US-PGPUB;	OR	NO	2007/05/01 10:51
		readers))	USPAT; EPO; JPO; DERWENT; IBM_TDB	•		
257	φ	"709"/\$.ccls. and ("one writer" near4 ((several or multiple or many or few) adj readers))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/01 10:53
S58	16	"709"/\$.ccls. and (((one or single) adj writer) near4 ((several or multiple or many or few) adj readers))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NO.	N <sub>O</sub>	2007/05/01 17:01
S59	16832	"709"/\$.ccls. and ((web or http or server) near5 (administ\$8 or manage\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO .	2007/05/01 17:02
260	41267	(plural\$3 or multipl\$7 or several or group\$2) near (administra\$5 or manag\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/01 17:05
S61	134439	((plural\$3 or multipl\$7 or several or group\$2) near5 (administra\$5 or manag\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	R	NO .	2007/05/01 17:05
S62	58991	S61 and (web or http or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/01 17:06

S63	79707	S61 and ((system or web or server or network) near5 (administrat\$4 or manag\$7 or superuser\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/01 17:07
S64	24949306	(@rlad<"20030902" or @ad<"20030902")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR · ·	NO .	2007/05/01 17:07
S65	60923	S64 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/01 17:08
998	19269	S65 and ((allow\$3 or permit\$4 or grant\$3 or approve\$4) near5 (access\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/01 17:10
292	372	S66 and (write near3 lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/01 17:11
898	97	S67 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/01 17:11
895	972898	((computer or platform or system or remote) same (config\$8 or administ\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO .	2007/05/01 17:28

2007/05/01 17:30	2007/05/01 17:30	2007/05/01 17:31	2007/05/01 17:31	2007/05/01 17:36	2007/05/01 17:36	2007/05/01 17:37
NO NO	NO	NO	NO	NO	NO O	NO
RO	OR	OR	O.	OR	SO.	OR
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
((plural\$3 or multipl\$7 or many or several or group\$2) near5 (administ\$7 or config\$8))	S69 same S70	((plural\$3 or multipl\$7 or many or several or group\$2 or concurrent) near5 (administ\$7 or config\$8))	S69 same S72	S73 same (((write adj once) or ("one writer") or ("one access")) same ((multiple or many or group or several) adj read))	S73 same ((("one writer")) same ((multiple or many or group or several) adj read))	S73 same ((multiple or many or group or several) adj read)
424039	124180	429032	124756	0	0	61
S70	571	572	573	574	575	S76

2007/05/01 17:40	2007/05/01 17:41	2007/05/01 17:42	2007/05/01 17:51	2007/05/01 17:57	2007/05/01 17:55	2007/05/01 17:57
NO	NO	NO	NO	NO	NO	NO
O.S.	OR	OR	OR	OR	OR V	OR
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S64 and S76	((system or computer or server or platform) same (administration))	S78 same (administrators or superusers or root)	S79 and (((one or single) near4 (write adj3 (access or permis\$4 or allow))) same ((many or group or multiple) near4 (read adj3 (access or permis\$4 or allow))))	((system or computer or platform) near5 (administrators or manage\$4)) same (((one or once) near4 write) near5 ((multiple or many or several or group) near5 read))	S64 and S81	((system or computer or platform) near5 (administrators or manage\$4)) same (((one or once) near4 writer) near5 ((multiple or many or several or group) near5 read))
46	104595		0	54	38	0 .
222	828	625	280	581	285	583

(s)) 0	(s)	((system or computer or platform) near7 (administrator\$2 or manage\$4))	US-PGPUB;	OR	NO	2007/05/01 17:58
group) near7 read))	group) near7 rea	d))	USPAT; EPO; JPO; DERWENT; IBM_TDB			
0 ((administrator\$ ((multiple or ma	((administrator\$ ((multiple or ma	((administrator\$2 or manage\$4)) same (((one or once) near4 writer) near7 ((multiple or many or several or group) near7 read))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/01 17:59
0 (administra\$5 or many or sev	(administra\$5 or many or sev	(administra\$5 or manage\$4) same (((one or once) adj writer) near7 ((multiple or many or several or group) near7 read))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR R	N O	2007/05/02 10:01
22 (smitty)		ė	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR S	N O	2007/05/02 12:52
24949306 (@rlad<"200309	(@rlad<"200309	(@rlad<"20030902" or @ad<"20030902")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/02 12:52
15 S88 and S87	S88 and S87		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	No	N O	2007/05/02 12:54
6781 S88 and AIX	S88 and AIX		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/02 12:56

S91		S90 and (smitt or smitty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/02 13:08
292	34	(application or program or system) same (((single or one) adj (user or person)) near3 (login or access)) near5 (profiles or (hdd or "hard disk") or "security setting\$2")	US-PGPUB; USPAT; EPQ; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/02 13:10
S93	26	S88 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/02 13:25
594	0	((database or db) same (acl or security)) near4 (((one or single) adj (write or writer)) same ((multiple or many or group) adj (read or reader)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N <sub>O</sub>	2007/05/02 13:29
S95	0	((database or db) same (acl)) near5 (((one or single) adj3 (write or writer)) same ((multiple or many or group) adj3 (read or reader)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/02 13:29
96S	11	((database or db)) near5 (((one or single) adj3 (write or writer)) same ((multiple or many or group) adj3 (read or reader)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	N O	2007/05/02 13:30
297		S96 and (security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	NO .	2007/05/02 13:48

0 ((single c	((single c (den\$4 o	((single or one) adj2 (login or access)) same ((multiple or many or few) near3 (den\$4 or "not allowed" or reject\$3) adj (login or access))	US-PGPUB; USPAT; EPO; JPO;	OR	NO	2007/05/02 13:51
			DERWENT; IBM_TDB			
57033   ((single or one) adj2 (login or access)) near4\ ((multiple or man near3 (den\$4 or "not allowed" or reject\$3) adj (login or access))	((single or one) adj2 (login or acc near3 (den\$4 or "not allowed" or	((single or one) adj2 (login or access)) near4\ ((multiple or many or few) near3 (den\$4 or "not allowed" or reject\$3) adj (login or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/02 13:51
0 ((single or one) adj2 (login or access)) near4 ((multiple or (den\$4 or "not allowed" or reject\$3) adj (login or access))	((single or one) adj2 (login or acc (den\$4 or "not allowed" or reject\$	((single or one) adj2 (login or access)) near4 ((multiple or many or few) near3 (den\$4 or "not allowed" or reject\$3) adj (login or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/02 13:52
40 (multiple or many or few) near3 (( (login or access))	(multiple or many or few) near3 (( (login or access))	(multiple or many or few) near3 ((den\$4 or "not allowed" or reject\$3) adj (login or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/02 14:13
o acl same (profile and login and time disk"))	acl same (profile and login and time disk"))	acl same (profile and login and timeout\$2 and security and (hdd or "hard disk"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/02 14:14
o acl near4 (profile and login and timed isk"))	acl near4 (profile and login and timdisk"))	acl near4 (profile and login and timeout\$2 and security and (hdd or "hard disk"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/02 14:14
88 acl with (profile\$4)	acl with (profile\$4)		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO O	2007/05/02 14:34

S10 5	6	S104 and (timeout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/02 14:15
S10 6	39573	((prohibit\$3 or prevent\$3 or inhibit\$3 or restrict\$3 or reject\$3 or block\$3) near5 (access\$3 or login\$4)) same ((plural\$3 or multipl\$7 or many or several or group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	NO	2007/05/02 15:31
S10	32441	S88 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO .	2007/05/02 14:37
S10 8	4060	("709"/\$.ccls. or "710"/\$.ccls.) and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/02 14:42
S10 9	1145	S108 and authen\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO .	2007/05/02 14:44
S11 0	172	S109 and (timeout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NO .	NO	2007/05/02 14:44
S11 1	y-l	S88 and (virtual adj management adj system).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/02 15:34

S11 2	П	S88 and (virtual adj management adj system).ab.	DERWENT	OR	NO	2007/05/02 15:36
S11 3	П	S88 and ("virtual management system").ab,	DERWENT	OR	NO	2007/05/02 15:45
S11 4	19441	((prohibit\$3 or prevent\$3 or inhibit\$3 or restrict\$3 òr reject\$3 or block\$3 or deny\$3) with ((multipl\$3 or group or several or many) same (login or access)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	NO	2007/05/02 16:01
S11 5	15905	S88 and S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/02 15:48
S11 6	0	S115 and ((profile\$2) near3 ((hard-disk or hdd or "hard disk") near4 time\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	N O	2007/05/02 15:50
\$11 7 `	2	S115 and ((profile\$2) near3 (hard-disk or hdd or "hard disk"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	.o R	N O	2007/05/02 15:50
S111 8	83	S115 and ((profile\$2) near3 (hard-disk or hdd or "hard disk" or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/02 15:50
S11 9	5612	((prohibit\$3 or prevent\$3 or inhibit\$3 or deny\$3) with ((multipl\$3 or group or several or many) same (login or access)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/02 17:16

S12 0	4529	S88 and S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NO NO	NO	2007/05/02 16:03
S12 1	167	S120 and (time\$4 same profil\$3 same security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/02 16:04
S12 2	. 37	(US-20040177143-\$ or US-20030028624-\$ or US-20020016840-\$ or US-20030028594-\$ or US-20020083056-\$ or US-20050108362-\$ or US-20030088569-\$ or US-20020087883-\$ or US-20030088569-\$ or US-20020156782-\$ or US-20020087883-\$ or US-20040107125-\$).did. or (US-5729472-\$ or US-7082464-\$ or US-7003563-\$ or US-6578146-\$ or US-6161139-\$ or US-6061692-\$ or US-5774669-\$ or US-6950818-\$ or US-6985944-\$ or US-6922722-\$ or US-5774669-\$ or US-6950818-\$ or US-6823337-\$ or US-6950818-\$ or US-6490255-\$ or US-6463474-\$ or US-6609154-\$ or US-6697806-\$ or US-7181017-\$ or US-653037-\$ or US-6533569-\$).did. or (US-5991879-\$).did.	USPAT USPAT		NO	2007/05/02 17:16
S12 3	167	S119 and S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/02 17:16
S12 4	11	((prohibit\$3 or prevent\$3 or inhibit\$3 or deny\$3) with ((multipl\$3 or group or several or many) same (login or access))) and \$122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N O	2007/05/02 17:20
S12 5	10	S121 and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S S	N O	2007/05/02 17:20

512	2	2 "20050050186".did.	US-PGPUB;	OR	NO	2007/05/08 15:14
9			USPAT;			
			EPO; JPO; DERWENT;			
			IBM_TDB			
\$12	0	"5991879".pn. and "7082464".pn.	US-PGPUB;	OR	NO	2007/05/08 15:14
`			USPAI; EPO; JPO;			
			DERWENT; IBM_TDB			
S12	4	"5991879".pn. "7082464".pn.	US-PGPUB;	OR	NO	2007/05/08 15:14
<b>.</b>			EPO; JPO;			
			DERWENT; IBM_TDB			
S12 9	2	(US-7082464-\$ or US-5991879-\$).did.	USPAT	OR	N O	2007/05/08 15:15
S13 0	2	S129 and time	USPAT	S S	N O	2007/05/08 15:33